Tocris Bioscience 16144 Westwoods Business Park, Ellisville, Missouri 63021, USA Phone: 800-421-3701 Fax: 800-483-1993



Tocris Bioscience Tocris House, IO Centre Moorend Farm Avenue, Bristol, BS11 0QL, UK Phone: + 44(0)117 916 3333 Fax: + 44(0)117 916 3344

MSDS Preparation Date: 15/01/2009

MSDS Revision Date: 16/01/2012

Material Safety Data Sheet

Cantharidin Cat. No: 1548 Batch No: 1

(3aα,4β,7β,7aα)-Hexahydro-3a,7a-dimethyl-4,7-epoxyisobenzofuran-1,3-dione

1. COMPOSITION/INFORMATION ON INGREDIENTS

For batch specific information, please see Product Information sheet.

2. PHYSICAL AND CHEMICAL PROPERTIES

For batch specific information, please see Product Information sheet.

3. HANDLING AND STORAGE

Use in a chemical fume hood, with air supplied by an independent system. Avoid inhalation, contact with eyes, skin and clothing. Avoid prolonged or repeated exposure.

Material should be stored in a tightly sealed container under the storage condition stated on the Product Information sheet and on the vial label.

4. STABILITY AND REACTIVITY

Stability: Stable under normal handling conditions.

Conditions to avoid: Not applicable for this product

Hazardous Combustion/Decomposition of Product: May emit toxic gases such as carbon dioxide, carbon monoxide and nitrogen oxide upon thermal decomposition.

5. HAZARDS IDENTIFICATION

RTECS substance category: Agricultural Chemical; Tumorigen; Drug; Product. Exposure may cause irritation to eyes, mucous membranes, upper respiratory tract and skin. Exposure may also cause the following: Tumors; Arrythmias.

6. TOXICOLOGICAL INFORMATION

To the best of our knowledge, the chemical, physical and toxicological properties have not been fully investigated.

RTECS No: RN8575000

Target Organs: Eyes; Respiratory system; Skin; Cardiovascular system. Toxicity Data: SKN-MUS TDLo: 25mg/kg; ORL-HMN LDLo: 428µg/kg;

IPR-MUS LD50: 1mg/kg; ORL-DOG LDLo: 250mg/kg; ORL-CAT LDLo: 310mg/kg; ORL-RBT LDLo: 20mg/kg; SCU-RBT LDLO: 1mg/kg; ORL-PGN LDLo: 32mg/kg; SCU-CKN LDLo: 75mg/kg; ORL-FRG LDLo: 7273mg/kg;

ORL-MAM LDLo: 75mg/kg;

Only selected Registry of Toxic Effects of Chemical Substances (RTECS) data is presented above. See actual entry in RTECS for complete

7. REGULATORY INFORMATION

Classification: Caution: Substance not yet fully tested.

Safety Phrases:

S22 - Do not breathe dust S24/25 - Avoid contact with skin and eyes

S36/37/39 - Wear suitable protective clothing, gloves and

eye/face protection

Risk Phrases: R68 - Possible risk of irreversible effects

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Wear appropriate chemical resistant gloves, safety goggles and other protective clothing to prevent contact with eyes and skin. Laboratory should be equipped with a safety shower and eye wash station. Avoid prolonged or repeated exposure. Do not breathe dust. Do not get in eyes, on skin or on clothing. Wash thoroughly after handling.

9. FIRST-AID MEASURES

In cases of SKIN CONTACT: Wash with copious amounts of water for at least 15 minutes. Remove contaminated clothing and shoes and wash before wearing. In case of eye contact, flush with copious amounts of water for at least 15 minutes.

In cases of INHALATION: Remove to fresh air and monitor breathing. If breathing becomes difficult, give oxygen. If breathing stops, give artificial respiration.

In cases of INGESTION: If swallowed, rinse mouth out with water, contact local poison centre and call a physician.

10. FIRE-FIGHTING MEASURES

Extinguishing Media: Material is non-combustible. Use extinguishing media appropriate to surrounding fire conditions.

Unusual Fire and Explosive Hazards: May emit toxic gases upon thermal decomposition.

Special Fire-Fighting Procedures: Wear protective clothing to prevent contact with skin and eyes

11. ACCIDENTAL RELEASE MEASURES

Wear appropriate protective clothing. Cover spillage with suitable absorbent material. Using non-spark tools, sweep up material and place in an appropriate container. Decontaminate spill site with with 10% caustic solution and ventilate area until after disposal is complete. Hold all material for appropriate disposal as described under DISPOSAL CONDITIONS.

12. ECOLOGICAL INFORMATION

Data not yet available - treat as potentially toxic if released into the environment.

13. DISPOSAL CONDITIONS

As specific country, federal, state and local environmental regulations are varied and change frequently, we recommend that you contact your local department for Health Services for information on the correct disposal of this

14. TRANSPORT INFORMATION

U.N.Number: Proper Shipping Name: IATA Class IATA Packing Group:

15. OTHER INFORMATION

Due to the nature of this material. It must only be handled by suitably qualified experienced scientists in appropriately equipped and authorised facilities. The above information is believed to be correct but does not purport to be all inclusive and should be used as a guide only for experienced personnel. Always consult your safety advisor and follow appropriate local and national safety legislature. The absence of warning must not, under any circumstance, be taken to mean that no hazard exists.

CAUTION — Not fully tested. For research use only. Not for human use.

- www.tocris.com

Tocris Bioscience 16144 Westwoods Business Park, Ellisville, Missouri 63021, USA Phone: 800-421-3701 Fax: 800-483-1993



Tocris Bioscience Tocris House, IO Centre Moorend Farm Avenue, Bristol, BS11 0QL, UK Phone: + 44(0)117 916 3333 Fax: + 44(0)117 916 3344

Product Information

Cantharidin Cat. No: 1548 Batch No: 1

(3aα,4β,7β,7aα)-Hexahydro-3a,7a-dimethyl-4,7-epoxyisobenzofuran-1,3-dione

Description: Natural toxin inhibitor of protein phosphatases 1 and 2A (K_i values are 1.1 and 0.19 μM respectively); similar to okadaic acid (Cat. No. 1136). Displays > 500-fold selectivity over PP2B.

Physical and Chemical Properties: Batch Molecular Formula: $C_{10}H_{12}O_4$ Batch Molecular Weight: 196.2 CAS Number: [56-25-7] Physical Appearance: Batch Molecular Structure:

Мe Мe

Storage: Store at RT

Solubility: DMSO to 100 mM

Ethanol to 25 mM

Stability and Solubility Advice:

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Information concerning product stability, particularly in solution, has rarely been reported and in most cases we only offer a general guide. Our standard recommendations are:

SOLIDS: Provided storage is as stated on the product label and the vial is kept tightly sealed, the product can be stored for up to 6 months from date of receipt.

SOLUTIONS: We recommend that stock solutions, once prepared, are stored aliquoted in tightly sealed vials at -20° C or below and used within 1 month. Wherever possible solutions should be made up and used on the same day.

Other Information:

References:

Honkanen (1993) Cantharidin, another natural toxin that inhibits the activity of serine/threonine protein phosphatases types 1 and 2A. FEBS Lett. 330 283. Eldridge and Casida (1995) Cantharidin effects on protein phosphatases and the phosphorylation state of phosphoproteins in mice. Toxicol Appl Pharmacol. 130 95. Knapp et al (1999) The protein phosphatase inhibitor cantharidin alters vascular endothelial cell permeability. J.Pharmacol.Exp.Ther. 289 1480.